

C-I-L Ammunition and Firearms



CANADIAN INDUSTRIES LIMITED

SHOTGUNS



FRANCHI



FUSILS


PRICES/PRIX						
Model Modèle	Grade & Weight Catégorie	Type Type	Chambered For Chambré Pour	No. of shots No. de coups	Gauge, Barrel, Choke Combinations Ensembles: Calibre, Canon et Choke	Suggested Retail Suggéré au Détail
48 A	Plain Barrel 7½ lbs.	Automatic Take down	2¾ in.	5	12 ga. 28" Mod. 12 ga. 28" Full 12 ga. 30" Full	172.95
48 AV	VENT RIB Barrel 7 lbs. 12 oz.	Automatic Take down	2¾ in.	5	12 ga. 26" Imp. Cyl. 12 ga. 28" Mod. 12 ga. 28" Full 12 ga. 30" Full	198.95
48 AVH	Hunter Special VENT RIB 7 lbs. 12 oz.	Automatic Take down	2¾ in.	5	12 ga. 30" Full 20 ga. 28" Full	224.95
48 AL	Plain Barrel 12 ga. 6¼ lbs. 20 ga. 5½ lbs.	Automatic Take down	2¾ in.	5	12 ga. 28" Mod. 12 ga. 30" Full 20 ga. 28" Mod. 20 ga. 28" Full	162.75
48 ALV	VENT RIB Barrel 12 ga. 6½ lbs. 20 ga. 5¾ lbs.	Automatic Take down	2¾ in.	5	12 ga. 24" Imp. Cyl. 12 ga. 26" Imp. Cyl. 12 ga. 28" Mod. 12 ga. 30" Full 20 ga. 26" Imp. Cyl. 20 ga. 28" Mod. 20 ga. 28" Full	188.75
48 ALVH	Hunter Special VENT RIB 12 ga. 6½ lbs. 20 ga. 5¾ lbs.	Automatic Take down	2¾ in.	5	12 ga. 30" Full 20 ga. 28" Full	214.95
48 AM	Magnum Plain Barrel 12 ga. 8 lbs. 20 ga. 6 lbs.	Automatic Take down	3 in.	4	12 ga. 30" Full 12 ga. 32" Full 20 ga. 28" Full	180.95
48 AMV	Magnum VENT RIB Barrel 12 ga. 8½ lbs. 20 ga. 6½ lbs.	Automatic Take down	3 in.	4	12 ga. 30" Full 12 ga. 32" Full 20 ga. 28" Full	206.95
48 AS	Big Game Slug Gun Rifle Type Sights 7¼ lbs.	Automatic Take down	2¾ in.	5	12 ga. 22"	203.75
1000 Field	Standard 7¼ lbs.	Over and Under	2¾ in.	2	12 ga. 26" Imp. Cyl. and Mod. 12 ga. 30" Mod. and Full	292.75
1000 Super Field	Deluxe 7¼ lbs.	Over and Under	2¾ in.	2	12 ga. 26" Imp. Cyl. and Mod. 12 ga. 30" Mod. and Full	331.75
1000 Skeet	Deluxe 7½ lbs.	Over and Under	2¾ in.	2	12 ga. 28" SK 1 and SK 2	365.50
1000 Trap	Deluxe 8¼ lbs.	Over and Under	2¾ in.	2	12 ga. 30" Mod. and Full 12 ga. 30" Imp. Mod. and Full Standard Trap or Monte Carlo Stock	365.50

INSERT FOR PRICE LIST NO. 23 DATED JANUARY 17th, 1967. — AJOUTÉ À NOTRE LISTE DE PRIX DATÉ DU 17 JANVIER, 1967.

THE PRICES SHOWN INCLUDE 12% FEDERAL SALES TAX, BUT DO NOT INCLUDE ANY OTHER FEDERAL, PROVINCIAL OR MUNICIPAL TAX WHICH MAY BE APPLICABLE.

CES PRIX COMPRENNENT LA TAXE FÉDÉRALE DE 12%, MAIS N'INCLUENT AUCUNE AUTRE TAXE FÉDÉRALE, PROVINCIALE OU MUNICIPALE, EXIGIBLE.

MODEL	DESCRIPTION	HOWDEN NUMBER	RETAIL	MODEL	DESCRIPTION	HOWDEN NUMBER	DEALER	RETAIL
C-I-L				Franchi Guns...from C-I-L				
167	.22 Single Shot	801-1009	29.95	48A	Auto. Std. P1. 12-30-F	801-2296		174.95
125	.22 Bolt Action Clip Rep.	801-1090	44.95	48A	Auto. Std. P1. 12-28-F	801-2304		174.95
180	.22 Single Shot Target W/S	801-1082	64.95	48A	Auto. Std. P1. 12-28-M	801-2312		174.95
190	.22 Single Shot Target W/S	801-1108	84.95	48AV	Auto. Std. Vent 12-30-F	801-2338		201.95
109S	.22 Single Shot Target W/S	801-1116	109.95	48AV	Auto. Std. Vent 12-28-F	801-2346		201.95
				48AV	Auto. Std. Vent 12-28-M	801-2353		201.95
				48AVH	Auto. Hunter Vent 12-30-F	801-2429		227.95
310	.22 Bolt Action Rep. Clip	801-1124	65.95	48AL	Auto. Lgt. Wt. P1. 12-30-F	801-2072		164.95
68 Std.	.22 Auto. 'Franchi' Tube	801-2148	69.95	48AL	Auto. Lgt. Wt. P1. 12-28-M	801-2080		164.95
68 Del.	.22 Auto. 'Franchi' Tube	801-2155	84.95	48AL	Auto. Lgt. Wt. P1. 20-28-F	801-2098		164.95
68 S.Del.	.22 Auto. 'Franchi' Tube	801-2163	107.95	48AL	Auto. Lgt. Wt. P1. 20-28-M	801-2130		164.95
300	.22 Auto Anschutz Clip	801-2114	56.95					
				48ALV	Auto. Lgt. Wt. Vent 12-30-F	801-2213		191.95
830	.222 Bolt Action Clip Rep.	801-1249	87.95	48ALV	Auto. Lgt. Wt. Vent 12-28-M	801-2221		191.95
830	.30-30 Bolt Action Clip Rep.	801-1256	87.95	48ALV	Auto. Lgt. Wt. Vent 12-26-IC	801-2239		191.95
900	.222 Bolt Action Clip Rep.	801-1272	146.95	48ALV	Auto. Lgt. Wt. Vent 20-28-F	801-2254		191.95
				48ALV	Auto. Lgt. Wt. Vent 20-28-M	801-2262		191.95
				48ALV	Auto. Lgt. Wt. Vent 20-26-IC	801-2270		191.95
				48ALVH	Auto. Hunter Ltwt Vent 12-30-F	801-2452		217.95
950	.308 Bolt Action Clip Rep.	801-1215	155.95	48ALVH	Auto. Hunter Ltwt Vent 20-28-F	801-2460		217.95
950	7m/m Mag. Bolt Action Clip R	801-1223	169.95					
				48AM	Auto. Magnum P1. 12-30-F	801-2379		183.95
950C	.243 Bolt Action Clip Rep.	801-1264	172.95	48AM	Auto. Magnum P1. 20-28-F	801-2387		183.95
950C	.270 Bolt Action Clip Rep.	801-1280	172.95					
950C	.30-06 Bolt Action Clip Rep.	801-1355	172.95	48AMV	Auto. Magnum Vent 12-30-F	801-2395		209.95
950C	.308 Bolt Action Clip Rep.	801-1371	172.95	48AMV	Auto. Magnum Vent 20-28-F	801-2411		209.95
402	Single Shot 12-30-F	801-1397	36.95	1000	O & U Field 12-30-F & M	801-0787		292.75
402	Single Shot 16-28-F	801-1413	36.95	1000	O & U Field 12-26-IC & M	801-1983		292.75
402	Single Shot 20-28-F	801-1421	36.95					
402	Single Shot 28-28-F	801-1439	36.95	1000	O & U Super - Field 12-30-F&M	801-0761		331.75
402	Single Shot 410-28-F	801-1454	36.95	1000	O & U Super - Field 12-26-ICM	801-1975		331.75
607	Pump Shotgun P1. 12-30-F	801-1389	97.95	1000	O & U Skeet 12-28-SK & SK	801-0753		365.50
607	Pump Shotgun P1. 12-28-F	801-1322	97.95					
607	Pump Shotgun P1. 12-28-M	801-1363	97.95	1000	O & U Trap Reg. 12-30-F & M	801-0779		365.50
607	Pump Shotgun P1. 20-28-F	801-1405	97.95	1000	O & U Trap Reg. 12-30-F & IM	801-1991		365.50
607	Pump Shotgun P1. 410-26-F	801-1447	97.95	1000	O & U Trap MC 12-30-F & M	801-1967		365.50
621	Pump Shotgun Vent 12-30-F	801-1603	116.95	1000	O & U Trap MC 12-30-F & IM	801-2015		365.50
621	Pump Shotgun Vent 12-28-F	801-1520	116.95					
621	Pump Shotgun Vent 12-28-M	801-1561	116.95	1000	O & U Light - Field 12-30-F&M	801-0712		265.00
621	Pump Shotgun Vent 12-26-IC	801-1488	116.95	1000	O & U Light - Field 12-26-IC&M	801-0720		265.00
621	Pump Shotgun Vent 20-28-F	801-1686	116.95	1000	O & U Light - Field 20-28-F&M	801-0738		265.00
621	Pump Shotgun Vent 20-26-IC	801-1645	116.95	1000	O & U Light - Field 20-26-IC&M	801-0746		265.00
621	Pump Shotgun Vent 410-26-F	801-1728	116.95					
710	Double Barrel P1. 12-30-F&M	801-1843	117.95					
710	Double Barrel P1. 12-28-F&M	801-1769	117.95					
710	Double Barrel P1. 20-28-F&M	801-1926	117.95					
710	Double Barrel P1. 410-28-F&F	801-1942	117.95					
725	Double Barrel Vent 12-30-F&M	801-2064	172.95					
725	Double Barrel Vent 410-26-M & IC	801-2056	172.95					



tip Hot for big-game men

THE EXCLUSIVE NEW "SABRETIP" BULLET HAS A NYLON TIP FOR SMOOTH CHAMBERING

"Design a bullet that has a tough point yet will mushroom reliably at all hunting ranges." That was the challenging assignment we handed our ballistics research people. This is the result. The new Dominion "Sabretip" . . . a major advance in bullet design! Rough handling, recoil in magazines, even feeding through military type actions designed for "hard point" bullets can't damage this tough nylon point. It's as strong as a rugged copper point yet mushrooms




as effectively as a soft point bullet, at all ranges. Smooth feeding. Flat shooting. Deadly accurate!

Prove it. We did, in extensive field and laboratory tests. The verdict: "one of the best bullets for big-game hunting in North America." Try a box of "Sabretip" bullets. Available in 270 Winchester—150 grains; in 30-30 Winchester—150 and 170 grains; in 30-06 Springfield, 300 Savage, 303 British and 308 Winchester—150 and 180 grains; in 300 Winchester Magnum—180 grains and in 32 Winchester special—170 grains.

Franchi Shotguns

AUTOMATIC SHOTGUNS



MODEL 48A: Plain barrel, steel receiver, weight approx. 7½ lbs. Available in 12 gauge only. Chambered for 2¾" shells.

MODEL 48AV: As above with ventilated rib barrel, weight approx. 7¾ lbs.

MODEL 48AVH: Hunter model, receiver polished and engraved with game scenes. Specifications as model 48AV.

MODEL 48AL: World's lightest automatic shotgun, weight approx. 6¼ lbs. in 12 gauge and 5½ lbs. in 20. Plain barrel chambered for 2¾" shells.

MODEL 48ALV: As model 48AL with ventilated rib barrel, weight approx. 6½ lbs. in 12 gauge and 5¾ lbs. in 20.

MODEL 48ALVH: Hunter model, receiver polished and engraved with game scenes. Specifications as model 48AL.

MODEL 48AM: Magnum 3" plain barrel. Fitted recoil pad. Weight approx. 8 lbs. in 12 gauge and 6 lbs. in 20.

MODEL 48AMV: As above with ventilated rib barrel. Weight approx. 8½ lbs. in 12 gauge and 6¼ lbs. in 20.



MODEL AS:

Slug gun for big game. 12 gauge only with 22" barrel. Fully adjustable sights, front sight raised, gold bead and rear folding leaf. Weight approx. 7¼ lbs.

OVER AND UNDER SHOTGUNS



MODEL 1000 FIELD

Selective single trigger and auto. ejectors. Satin epoxy finish, hand checkering. Automatic safety. 12 gauge only, 26" barrels, modified and improved cylinder, 30" barrels modified and full choke.

MODEL 1000 SUPER FIELD

As above with special engraving, stock and fore end from selected walnut.



MODEL 1000 SKEET

Special wide rib for fast, accurate sighting. Beautifully engraved, stock and fore end from selected walnut. Unique beavertail fore-end design. Non-automatic safety, 8-step hardened receiver. Available in 12 gauge only, 28" barrels, SK #1 and SK #2 chokes.



MODEL 1000 TRAP

Special features as skeet grade above. Available in 12 gauge, 30" barrels, improved modified and full, modified and full. Standard or Monte Carlo stocks available.

Custom Quality Since 1868

The world's fastest firing shotguns. Nine models with the following barrel combinations:

Model 48A: Plain 12/28" mod. or full, 12/30" full.

Model 48AV: Vent. rib. 12/26" imp. cyl., 12/28" mod. or full, 12/30" full.

Model 48AVH: Vent. rib. 12/30" full.

Model 48AL: Plain 12/28" mod., 12/30" full, 20/28" mod. or full.

Model 48ALV: Vent. rib. 12/24" imp. cyl., 12/26" imp. cyl., 12/28" mod., 12/30" full, 20/26" imp. cyl., 20/28" mod., 20/28" full.

Model 48ALVH: Vent. rib. 12/30" full, 20/28" full.

Model 48AM: Plain 12/30" full, 12/32" full, 20/28" full.

Model 48AMV: Vent. rib. 12/30" full, 12/32" full, 20/28" full.

Model AS: 12/22" for Slug Gun only.

Dimensions for all automatic models: Stock length 14", drop at comb 1½", drop at heel 2¼", Overall length 43"-51".

Over and Under Shotguns

Four models, two Field grade, a Skeet and a Trap model.

Model 1000 Field and Super Field: Weight 7¼ lbs., length 43½"-47½", Stock: length of pull 14", drop at comb 1½", drop at heel 2¼".

Model 1000 Skeet: Weight 7½ lbs., length 45½". Stock: length of pull 14½", drop at comb 1½", drop at heel 2¼".

Model 1000 Trap: Weight 8¼ lbs., length 47¾". Standard stock: length of pull 14¾", drop at comb 1½", drop at heel 1¾". Available with Monte Carlo stock.

All Franchi guns have chrome plated barrels for better patterns, resistance to rust, erosion, leading, fouling and wear.

G-66 GUN CARE AND HUNTING ACCESSORIES

These fine G-66 products are now available through C-I-L.



SOLID GUN BLUE CREME

First major improvement in gun blue in 50 years. Produces a rich, dark, even blue, never streaks or spots and won't rub off or dis-colour. Packaged in unbreakable jars, cannot spill, break or spoil.



GUN BLUE PASTE

Improved formula paste in easy-to-use tubes. The easy way to a really professional finish.

GUN BLUE STICK

Instant blueing in pack-along tubes specially designed for touching-up small nicks and scratches.

LIQUID GUN BLUE

For those who prefer a liquid, G-66 Liquid Gun Blue makes blueing simple and effective.



GUN DE-GREASER

Spray on G-66 Gun De-Greaser and wipe grease away. Apply before blueing for a really even finish. Packaged in easy-to-use aerosol spray.

C-I-L centre fire and rim fire rifles


CENTRE FIRE RIFLES



MODEL 950-C* NEW—Detachable Clip Custom grade, hi-power rifle in 243 Win., 270 Win., 30-06 Sprg., 308 Win. Detachable clip magazine holds 4 cartridges, plus one in chamber. Chrome-moly steel 22" barrel. Overall length 43". Weight 7 lbs. Selected walnut Monte Carlo type stock with roll over cheek piece. Checkered pistol grip and fore-end. Receiver tapped for aperture sights and top-mount scopes. **ALSO AVAILABLE—MODEL 950** As above in all calibres plus 7 mm. Rem. Mag. Staggered box type magazine holds 4 cartridges (3 in 7 mm. Mag.) plus one in chamber.



MODEL 900 Custom grade hi-power rifle in 222 Rem. calibre. Detachable 3-shot clip magazine plus one cartridge in chamber. Barrel 24". Length 43". Weight 6 1/4 lb. Hand-checked French walnut stock with hand-carved, roll-over cheek piece. Receiver drilled and tapped for top mount scope or aperture sight.



MODEL 830 Hi-power rifle in 222 Rem. and 30-30 Win. calibres. Clip magazine holds 4 cartridges in 222, 3 cartridges in 30-30, plus one in chamber. Barrel: 222—24", 30-30—20". Length 38"—42". Weight 6 1/2 lb. Walnut finish stock with whiteline pistol grip cap and butt plate. Receiver drilled and tapped for side mount scopes. Checkered pistol grip and fore-end.

RIM FIRE RIFLES



MODEL 233 NEW IMPROVED Automatic with clip magazine. Chambered for 22 Long Rifle cartridges. Barrel 20". Length 40". Weight 5 1/2 lbs. Walnut finish one-piece stock with fluted comb. Pistol grip and white-line butt plate. Sporting foresight; open rear sight with elevator. Receiver grooved for instant scope mounting.



MODEL 266 NEW IMPROVED Automatic with tubular magazine holding 15 cartridges, chambered for 22 Long Rifle. Barrel 20". Length 40". Weight 5 3/4 lbs. Walnut finish one-piece stock with fluted comb. Pistol grip and white-line butt plate. Sporting foresight; open rear sight with elevator. Receiver grooved for instant scope mounting.




MODEL 167 NEW Deluxe bolt action, single shot rifle chambered for 22 Long Rifle, Long or Short cartridges. Barrel 22". Length 39". Weight 4 1/2 lbs. Walnut finish Monte Carlo type stock with pistol grip. Special hooded foresight; open adjustable rear sight. Loading platform. Receiver grooved for scope mounting. Double extractors.




MODEL 125 Bolt action with clip magazine. Chambered for 22 Long Rifle. Long or Short cartridges. Barrel 22". Length 39". Weight 4 1/2 lb. Walnut Monte Carlo type stock with pistol grip. Special hooded foresight; open adjustable rear sight. Receiver grooved for scope mounting.



MODEL 180 Bolt action, single shot rifle chambered for 22 Long Rifle, Long or Short cartridges. Barrel 24". Length 42". Weight 5 1/2 lb. Walnut finish Monte Carlo type stock with pistol grip. Hooded aperture foresight; rear adjustable peep sight. Receiver grooved for scope, drilled and tapped for micrometer peep sight. Adjustable trigger. Recommended for "Dominion Marksmen" sporting rifle competition.



MODEL 190-S Bolt action, single shot target grade rifle chambered for 22 Long Rifle cartridges only. Barrel 24". Length 42". Weight 7 1/2 lb. Monte Carlo stock with cheek-piece and high straight comb. Contoured, checkered pistol grip. Beavertail fore-end with long rail. Adjustable non-slip butt plate. Redfield globe front sight and Redfield Olympic target rear sight. (Model 190 supplied with .325 dovetail front sight base). Receiver grooved, drilled and tapped for micrometer sights. 3 lb. single stage adjustable trigger.



MODEL 310 Deluxe bolt action repeater chambered for 22 Long Rifle, Long or Short cartridges. Barrel 22". Length 42". Weight 5 3/4 lb. Walnut Monte Carlo type stock with cheek piece and pistol grip. Bead front sight; open adjustable rear sight. Receiver grooved for scope mounting. Adjustable trigger.

*Model 950-C—Available for shipment 1st May.



GUN TREATMENT

The most complete gun care product available. Cleans: solvents remove all trace of rust, leading and fouling. Lubricates: lubricants insure perfect firing even at 50° below zero, will not oxidize, evaporate or leave any sticky residue. Preserves: magnetic film covers all metal parts, prevents pitting and corrosion from weather conditions, even salt water spray. Packaged in three kit sizes.



The same complete treatment as above packaged in the handypack-along kit size.

SILICONE GUN MITT

Easy way to care for guns. Cleans, polishes, protects. This slip-on mitt displaces moisture, removes marks, prevents rust and corrosion and polishes all metal and wood surfaces.

SPRAY GRIP

Aerosol Spray Grip enables the sportsman to maintain a firm grip. Prevents slipping or fumbling.

GUN SIGHT BLACK

Eliminates glare on pistol and rifle sights. In pocket size aerosol.

DEER LURE

The pungent odour of ripe apples proves appealing to deer, moose, caribou, etc. Obscures human odour and helps lure from as far as 2 miles. In pocket size aerosol cans.

WATERPROOFING

G-66 Fabric Waterproofing in aerosol spray cans provides long-lasting, really effective proofing. Lasts through repeated washing yet lets fabric breathe. G-66 Leather & Boot Weatherproofing completely proofs yet does not impair breathing and keeps leather flexible at extremely low temperatures.

Fine Quality Firearms . . .

Whether you want a 22 for small game or target shooting, a centre fire hunting rifle, or a fast-handling shotgun, you'll find it in the selection provided by C-I-L.

All firearms are backed by the famous C-I-L name—your guarantee of outstanding quality and high performance.

. . . and Accessories


The convenience of additional clips, and the accuracy of an especially fine micrometer peep sight will enhance your enjoyment of these fine C-I-L Firearms.

- Clip Magazines:
Model 125—5 and 10 shot
Model 212—5 and 8 shot
Model 233—5 and 8 shot
Model 310—5 and 10 shot
Model 830—3 shot for 30-30 cal.
Model 830—4 shot for 222 cal.
Model 900—3 shot for 222 cal.
Model 950-C—4 shot all cal.


Micrometer Peep Sight:
Model 180
Available through your local dealer.



C-I-L shotguns




MODEL 402* NEW IMPROVED
Single shot takedown model in 12, 16, 20, 28 and 410 gauge. Chambered for all 2¾" shells except 410 which is 3". Full choke, 30" barrel in 12 gauge; 28" in all other gauges. Length 44"-46". Special wood stock with white line fore-end spacer and butt plate. Grooved fore-end. Automatic ejectors.



MODEL 401
Single shot takedown model in 12, 16, 20, 28 and 410 gauge. Chambered for all 2¾" shells except 410 which is 3". Full choke, 30" barrel in 12 gauge; 28" in all other gauges. Length 44"-46". "Imbuia" wood stock with grooved fore-end.




MODEL 607
Slide action repeater in 12, 20 and 410 gauge. Chambered for all 2¾" and 3" shells. In five combinations of gauge, barrel length and choke—12/30" full, 12/28" modified, 12/28" full, 20/28" full, and 410/26" full. Hammerless, side ejection action. Four shot magazine, with 3" shells one less. Length 45½"-47½". Weight 7 lb. Walnut finish stock with pistol grip.



MODEL 621
Deluxe slide action repeater with ventilated rib in 12, 20 and 410 gauge. Chambered for all 2¾" and 3" shells. Available as 12/26" improved cylinder, 12/28" modified or full, 12/30" full, 20/26" improved cylinder, 20/28" full, 410/26" full. Hammerless, side ejection action. Magazine takes four 2¾" shells or three 3" shells. Length 45"-49" Weight 7¼ lb. Walnut finish stock, full pistol grip.




MODEL 710
Standard double barrel hammerless, in 12, 20 and 410 gauge. The 12 gauge is chambered for all 2¾" shells; 20 and 410 gauge for 3" shells. Available as 12/28" modified and full, 12/30" modified and full, 20/28" modified and full, 410/28" full and full. Length 43¾"-45¾", taken down 28"-30". Weight: 12 gauge 7 lb., 20 and 410 gauge 6½ lb. Checkered walnut finish stock and fore-end, matted rib.




MODEL 725
Deluxe double barrel hammerless, in 12, 20, and 410 gauge. The 12 gauge is chambered for all 2¾" shells; 20 gauge for 2¾" and 3" magnum; 410 gauge for 3". Available as 12/28", modified and full, 12/30" modified and full, 20/28" modified and full, 410/26" full and full, modified and improved cylinder. Length 41¾"-45¾", taken down 28"-30". Weight: 12 gauge 7 lb., 20 gauge 6½ lb., 410 gauge 6 lb. Checkered walnut stock and fore-end. Raised ventilated rib. Automatic ejectors.


A complete line of quality C-I-L Shotshells in all gauges and shot sizes




'IMPERIAL' SPECIAL LONG RANGE




'IMPERIAL' MAGNUM



'IMPERIAL' SPECIAL LONG RANGE RIFLED SLUGS



'MAXUM' LONG RANGE



'CANUCK'



C-I-L TARGET LOADS

GA. Brand	Code	Shell Length in inches (a)	Drams equiv.	Shot oz.	Shot sizes
'IMPERIAL' SPECIAL LONG RANGE					
12 'Imperial' Special Long Range	IL	2¾	Max.	1¼	BB, 2, 4, 5, 6, 7½
16 'Imperial' Special Long Range	IT	2¾	3¼	1½	BB, 2, 4, 5, 6, 7½
20 'Imperial' Special Long Range	IM	2¾	2¾	1	BB, 2, 4, 5, 6, 7½
28 'Imperial' Special Long Range	IZ	2¾	2¼	¾	2, 4, 6, 7½, 9
410 'Imperial' Special Long Range	IR	2½	Max.	½	4, 5, 6, 7½, 9, 12
'IMPERIAL' MAGNUM					
12 'Imperial' Magnum	PX	3	4½	1½	BB, 2, 4, 6
12 'Imperial' Magnum	IP	3	4¼	1½	BB, 2, 4, 5, 6
12 'Imperial' Magnum	LX	2¾	4	1½	BB, 2, 4, 5, 6
16 'Imperial' Magnum	TX	2¾	3½	1¼	BB, 2, 4, 5, 6
20 'Imperial' Magnum	IH	3	3¼	1¼	2, 4, 5, 6, 7½
20 'Imperial' Magnum	MX	2¾	3	1¼	2, 4, 6
410 'Imperial' Magnum	IQ	3	Max.	¾	4, 5, 6, 7½, 9
BUCK SHOT LOADS					
12 'Imperial' Special Long Range	IL	2¾	Max.	34 (b)	AAA
12 'Imperial' Special Long Range	IL	2¾	Max.	12 (b)	SSG
12 'Imperial' Magnum	LX	2¾	Max.	12 (b)	Special SSG
12 'Imperial' Magnum	PX	3	Max.	15 (b)	Special SSG
16 'Imperial' Special Long Range	IT	2¾	3¼	12 (b)	SG
20 'Imperial' Special Long Range	IM	2¾	2¾	20 (b)	AAAA
28 'Imperial' Special Long Range	IZ	2¾	Max.	1 (b)	Slug
'POLY-KOR' SLUG LOADS (c)					
12 'Imperial' Special Long Range	IL	2¾	Max.	1	Stabilized Slug
RIFLED SLUG LOADS					
16 'Imperial' Special Long Range	IT	2¾	Max.	¾	Rifled Slug
20 'Imperial' Special Long Range	IM	2¾	Max.	¾	Rifled Slug
28 'Imperial' Special Long Range	IZ	2¾	Max.	½	Rifled Slug
410 'Imperial' Special Long Range	IR	2½	Max.	½	Rifled Slug
'MAXUM' LONG RANGE					
12 'Maxum' Long Range	LL	2¾	3¼	1¼	BB, 2, 4, 5, 6, 7½
'CANUCK'					
10 'Canuck' Standard	DSO	2¾	4¼	1¼	BB, 2, 4, 5, 6
12 'Canuck' Heavy	DN	2¾	3½	1½	BB, 2, 4, 5, 6, 7½
12 'Canuck' Standard	DA	2¾	3¼	1½	BB, 2, 4, 5, 6, 7½, 9
16 'Canuck' Standard	DT	2¾	2¾	1	BB, 2, 4, 5, 6, 7½, 8, 9
20 'Canuck' Standard	DM	2¾	2¼	¾	2, 4, 5, 6, 7½, 8
C-I-L TARGET LOADS					
12 C-I-L Target Load	JX	2¾	3	1¼	7½, 8, 9
12 C-I-L Target Load	JX	2¾	2¾	1½	7½, 8, 9
12 C-I-L Target Load	JE	2¾	2½	1½	8
12 C-I-L Target Load	JXP	2¾	3¼	1¼	7½, 8
12 C-I-L Target Load	JP	2¾	3¼	1¼	7½
20 C-I-L Target Load	JM	2¾	¾	¾	9
28 C-I-L Target Load	JZ	2¾	¾	¾	9
410 C-I-L Target Load	JR	2½	½	½	9

(a) Shotshell Length = full length of shell when crimp has been opened out. Do not use a shell longer than the chamber of your gun.
(b) Number of pellets by actual count.
(c) 'Poly-Kor' Slug & Rifled Slug Loads are packed 5 to a box and 500 to a case. All other shotshells are packed 25 to a box and 500 to a case.
(d) C-I-L Target loads coded JX are loaded with "Ram-Wads".



'Poly-Kor' the slug that streaks straight for the target.

The 'POLY-KOR' slug has a patented *compensating core* of C-I-L polythene which cushions and protects the slug from distortion as it is accelerated through the barrel and choke. The slug emerges stabilized, streaks straight for the target without wobbling or tumbling in flight.

'IMPERIAL' RIFLED AND 'POLY-KOR' SLUG SHOTSHELLS

Gauge and type	Weight Ounces	Velocity Feet per Second		Energy Ft. Lbs.		Mid-range trajectory	
		Muzzle	100 Yards	Muzzle	100 Yards	50 Yards	100 Yards
'Poly-Kor' 12	1	1600	950	2485	875	0.6"	3.1"
Rifled Slugs	16	¾	1600	950	2175	765	0.6"
	20	¾	1600	950	1555	550	0.6"
	28	¾	1600	950	1245	440	6.0"
	410	¾	1830	1025	650	205	0.4"


A complete line of rim fire cartridges for rifles, pistols, and revolvers

'Dominion' centre fire pistol and revolver cartridges

Pistol and revolver bullet types for every need



22 BB CAP 'SUPER-CLEAN'



22 SHORT 'CANUCK'



22 LONG RIFLE 'CANUCK'



22 SHORT 'IMPERIAL'



22 LONG 'IMPERIAL'




22 LONG RIFLE 'IMPERIAL'




22 LONG RIFLE C-I-L MATCH

SPECIAL SIZES



22 W.R.F. 'CANUCK'



22 WINCHESTER AUTO. 'CANUCK'



25 STEVENS SHORT 'CANUCK'



25 STEVENS LONG 'CANUCK'



32 SHORT 'CANUCK'



32 LONG 'CANUCK'

Description	Velocity	Lubricant	Bullet		Velocity Feet per Second		Energy Foot-Lbs.		Mid-Range Trajectory in inches for range of 100 Yds.
			Type (Lead)	Weight Grains	Muzzle	100 Yards	Muzzle	100 Yards	
22 BB CAP 'SUPER-CLEAN'	Standard	Graphite	Solid	18	780	-	24	-	-
22 SHORT 'CANUCK'	Low	-	Solid	28	1000	-	62	-	-
22 SHORT (NON-SPLASHING GALLERY) (ELEY)									
22 LONG RIFLE 'CANUCK'	Standard	Dry Lub.	Solid	29	1045	865	70	48	4.8
22 SHORT 'IMPERIAL'	Standard	Grease	Solid	40	1145	975	116	84	4.0
22 LONG RIFLE 'CANUCK'	Standard	Dry Lub.	Solid	40	1145	975	116	84	4.0
22 SHORT 'IMPERIAL'	High	Dry Lub.	Solid	29	1125	920	81	54	4.3
22 LONG RIFLE 'IMPERIAL'	High	Dry Lub.	Hollow Point	27	1155	920	80	51	4.2
22 LONG 'IMPERIAL'	High	Dry Lub.	Solid	29	1240	965	99	60	3.8
22 LONG RIFLE 'IMPERIAL'	High	Dry Lub.	Solid	40	1335	1045	158	97	3.3
22 LONG RIFLE 'IMPERIAL' MUSHROOM	High	Dry Lub.	Hollow Point	36	1365	1040	149	86	3.3
22 LONG RIFLE C-I-L MATCH	Low	Grease	Solid	40	-	-	-	-	-
22 LONG RIFLE C-I-L PISTOL MATCH	Low	-	Solid	40	-	-	-	-	-
22 WINCHESTER RIM FIRE (W.R.F.) 'CANUCK'	Standard	Graphite	Solid	45	1105	955	122	91	4.0
22 WINCHESTER AUTOMATIC 'CANUCK'	Standard	Graphite	Solid	45	1055	930	111	86	4.6
25 STEVENS SHORT 'CANUCK'	Standard	Internal	Solid	65	945	845	129	103	5.6
25 STEVENS LONG 'CANUCK'	Standard	Internal	Solid	65	1130	985	184	140	3.8
32 SHORT 'CANUCK'	Standard	Dry Lub.	Solid	80	945	840	158	125	5.3
32 LONG 'CANUCK'	Standard	Dry Lub.	Solid	80	1050	900	195	144	4.5



25 (6.35 MM) AUTOMATIC



32 SMITH & WESSON



32 SMITH & WESSON LONG



32 SHORT COLT



32 (7.65 MM) AUTOMATIC



357 MAGNUM



9 MM LUGER




38 SMITH & WESSON



38 SPECIAL (METAL POINT)



38 SPECIAL HIGH VELOCITY POLICE



38 SPECIAL PISTOL MATCH



45 COLT




45 AUTOMATIC



455 COLT


Description	Bullet		Velocity Ft./Sec. Muzzle	Energy Ft./Lbs. Muzzle
	Type	Wt. Grs.		
25 (6.35 MM) AUTOMATIC	MC	50	810	73
25 (6.35 MM) AUTOMATIC For autoloading pistols designated 25 Auto., 25 Colt Auto., 25 ACP or 6.35 mm Browning.	Lead	85	705	94
32 SMITH & WESSON For Smith & Wesson revolvers designated 32 or 32 Long, or in other revolvers designated 32 S & W, 32 S & W Long, 32 Police Positive or 32 Pocket Positive.	Lead	98	780	132
32 SMITH & WESSON LONG For Smith & Wesson revolvers designated 32 Long or in other revolvers designated 32 S & W Long, 32 Police Positive or 32 Pocket Positive. Note:—Interchangeable with 32 Colt New Police.	Lead	80	795	112
32 SHORT COLT For revolvers designated 32 Short Colt, 32 Long Colt or Calibre 320. May also be used in Marlin Model 1892 rifles.	MC	71	960	145
32 (7.65 MM) AUTOMATIC For autoloading pistols designated 32 Auto., 32 Colt Auto., 32 ACP or 7.65 mm Browning. Note:—Not interchangeable with 7.65 mm Luger.	MP	158	1400	690
357 MAGNUM For revolvers designated 357 Magnum.	MC	124	1120	345
9 MM LUGER For 9 mm German Luger Automatic pistols and other autoloading pistols chambered for the 9 mm Luger cartridge. Note:—(1) Not interchangeable with 9 mm Browning or other 9 mm ammunition. (2) Do not use 9 mm Sten Gun (Military) Cartridges in your pistol.	MC	124	1120	345
9 MM LUGER (POLICE) For 9 mm Sten Gun and other autoloading sub-machine guns chambered for the 9 mm Luger cartridge.	Lead	145	685	152
38 SMITH & WESSON For revolvers designated 38 S & W, 38 Police Positive, 38 Bankers' Special or British Service Revolver No. 2. Note:—Interchangeable with 38 Colt New Police.	Lead	158	855	255
38 SPECIAL (LEAD) For revolvers designated 38 Special, 38 S & W Special, 38/44 or Officer's Model 38. Will also fit guns chambered for 357 Magnum cartridge.	MP	158	855	255
38 SPECIAL (METAL POINT) For revolvers designated 38 Special, 38 S & W Special, 38/44 or Officer's Model 38. Will also fit guns chambered for 357 Magnum cartridge.	Lead	158	1090	415
38 SPECIAL HIGH VELOCITY POLICE For revolvers designated 38 Special, 38 S & W Special, 38/44 or Officer's Model 38. Will also fit guns chambered for the 357 Magnum cartridge. Note:—Use only in revolvers in good repair.	WC	148	770	195
38 SPECIAL PISTOL MATCH For revolvers designated 38 Special, 38 S & W Special, 38/44 or Officer's Model 38. Will also fit guns chambered for 357 Magnum cartridge.	Lead	250	855	410
45 COLT For revolvers designated 45 calibre.	MC	230	850	370
45 AUTOMATIC For autoloading pistols designated 45 ACP, 45 Automatic Colt, 45 Automatic Colt Government Model, 45 Colt Automatic Government Model.	Lead	265	770	349
455 COLT For revolvers designated 455, 455 Eley, 455 Webley MK II or British Service Revolver No. 1.				



Lead: Long-time favourite for police work and target shooting. Available in 32 Smith & Wesson, 32 Smith & Wesson Long, 32 Short Colt, 38 Smith & Wesson, 38 Special, 45 Colt and 455 Colt.




Wad Cutter: Sharp shouldered bullet designed for outstanding accuracy in target shooting. Cuts a clean hole in the target to make scoring easier. Loaded in 38 Special calibre at reduced velocity for minimum recoil and muzzle flip.



Metal Point: Special police bullet for high velocity 357 Magnum and 38 Special cartridges. Provides maximum penetration of steel, iron and other metals.



Metal Cased: Provides maximum penetration and trouble-free functioning in autoloading pistols. Available in 25 Automatic, 32 Automatic, 9 mm Luger and 45 Automatic Calibres.



38 Special High Velocity Police: A special design with power and flat nose construction to suit the needs of law enforcement agencies.



7 x 57 MM MAUSER

270 WINCHESTER

257 ROBERTS

250 SAVAGE

25-35 WINCHESTER

25-20 WINCHESTER

6.5 x 55 MM

6.5 x 53 MANNLICHER-SCHOENAUER

244 REMINGTON

243 WINCHESTER

222 REMINGTON

22 SAVAGE

22 HORNET

'Dominion' centre fire cartridges in all popular calibres, bullet weights and types

BALLISTICS AND RANGE TABLES

BALLISTICS

Description	Bullet		Velocity in Feet per Second						Muzzle
	Wt. Grains	Type	Muzzle	100 Yds.	200 Yds.	300 Yds.	400 Yds.	500 Yds.	
22 HORNET For rifles designated 22 Hornet, 5.6 x 35 R or 22 x 36 HO.	45	PSP	2690	2030	1510	1150	—	—	720
22 SAVAGE For rifles designated 22 Savage or 22 High Power.	70	PSP	2800	2440	2110	1840	—	—	1220
222 REMINGTON For rifles designated 222 Remington.	50	PSP	3200	2600	2170	1750	—	—	1140
243 WINCHESTER For rifles designated 243 Winchester.	75	PSP	3500	3070	2660	2290	1960	1670	2040
	100	PSP	3070	2790	2540	2320	2120	1940	2090
244 REMINGTON For rifles designated 244 Remington.	75	PSP	3500	3070	2660	2290	1960	1670	2040
6.5 x 53 MM MANNLICHER-SCHOENAUER For sporting and military rifles of the Mannlicher-Schoenauer Model 1903 pattern. This calibre is also designated as 6.5 x 53 M-Sch., 6.5 x 54 M-Sch., or 6.7 mm M-Sch. Note:—Not interchangeable with other types of 6.5 mm ammunition.	160	SP	2160	1950	1750	1570	—	—	1660
6.5 x 55 MM For use in 6.5 x 55 mm Norwegian Krag and Swedish Mauser rifles or others designated as 6.5 x 55 mm. Note:—Not interchangeable with other types of 6.5 mm ammunition.	160	SP	2420	2190	1960	1760	1580	1420	2080
25-20 WINCHESTER For rifles designated 25-20 Winchester, 25-20 W.C.F., 25-20 Marlin or 25-20. Note:—Not for use in revolvers.	86	SP	1460	1180	1030	940	—	—	
25-35 WINCHESTER For rifles designated 25-35 Winchester or 25-35 W.C.F.	117	SP	2300	1910	1600	1340	—	—	1370
250 SAVAGE For rifles designated 250 Savage or 250-3000 Savage.	100	PSP	2820	2460	2140	1870	—	—	1760
257 ROBERTS For rifles designated 257 Roberts.	117	PSP	2650	2280	1950	1690	—	—	1820
270 WINCHESTER For rifles designated 270 Winchester or 270 W.C.F.	100	PSP	3480	3070	2690	2340	2010	1700	2690
	130	PSP	3140	2850	2580	2320	2090	1860	2840
	130	ST	3140	2850	2580	2320	2090	1860	2840
	160	KKSP	2800	2530	2280	2050	1840	—	2790
7 x 57 MM MAUSER For rifles designated 7 mm Mauser or 7 x 57.	139	PSP	2800	2500	2240	1990	1770	1580	2420
	160	KKSP	2650	2330	2040	1780	1550	1350	2500
KKSP—'Kling-Kor' Soft Point PSP—Pointed Soft Point SP—Soft Point CPE—Copper Point Expanding MC—Metal Cased (Hard Point) PNEU—Pneumatic HP—Hollow Point ST—'Sabretip'		Color indicates weight of bullet illustrated							

KKSP—'Kling-Kor' Soft Point
PSP—Pointed Soft Point
SP—Soft Point
CPE—Copper Point Expanding
MC—Metal Cased (Hard Point)
PNEU—Pneumatic
HP—Hollow Point
ST—'Sabretip'

Color indicates weight of bullet illustrated

RANGE TABLE—VALUES SHOWN IN THIS TABLE ARE BASED ON A SIGHT HEIGHT 1½" ABOVE LINE OF BORE

Energy in Foot Pounds					Inches High 50 Yds.	Sighted in at 100 Yds.	Inches Low 200 Yds.	First Crosses Line of Sight App. Yds.	50 Yds.	75 Yds.	100 Yds.	125 Yds.	150 Yds.	200 Yds.	250 Yds.	300 Yds.	400 Yds.	500 Yds.
100 Yds.	200 Yds.	300 Yds.	400 Yds.	500 Yds.														
410	230	130	-	-	0.0	⊕	7.0	29.0	-	+1.5	-	-	⊕	-4.0	-	-	-	-
925	690	525	-	-	0.0	⊕	4.5	25.0	-	-	+2.0	-	-	⊕	-4.5	-	-	-
785	520	340	-	-	0.0	⊕	3.5	30.0	-	-	+2.0	-	-	⊕	-3.5	-	-	-
1570	1180	875	640	465	-0.3	⊕	2.5	30.0	-	-	-	+2.5	-	-	⊕	-3.0	-15.5	-36.5
1730	1430	1190	995	835	-0.3	⊕	3.0	27.5	-	-	-	+3.0	-	-	⊕	-3.5	-16.5	-35.5
1570	1180	875	640	465	-0.3	⊕	2.5	30.0	-	-	-	+2.5	-	-	⊕	-3.0	-15.5	-36.5
1350	1090	875	-	-	0.3	⊕	7.5	25.5	-	+1.5	-	-	⊕	-4.0	-	-	-	-
1700	1360	1110	885	715	0.3	⊕	6.5	21.0	-	-	+3.5	-	-	⊕	-5.0	-13.0	-39.0	-
200	170	-	-	-	2.0	⊕	24.0	16.0	+2.0	-	⊕	-4.0	-	-	-	-	-	-
945	665	465	-	-	0.2	⊕	7.5	23.0	-	+1.5	-	-	⊕	-4.5	-	-	-	-
1340	1020	775	-	-	0.0	⊕	4.0	27.5	-	-	+2.0	-	-	⊕	-3.5	-	-	-
1350	985	740	-	-	0.0	⊕	5.0	24.0	-	-	+2.5	-	-	⊕	-4.5	-	-	-
2090	1600	1215	890	640	-0.3	⊕	2.0	31.5	-	-	-	+2.5	-	-	⊕	-3.5	-14.5	-33.5
2340	1920	1550	1260	1000	-0.2	⊕	2.5	27.5	-	-	-	+3.0	-	-	⊕	-4.0	-16.0	-35.5
2340	1920	1550	1260	1000	-0.2	⊕	2.5	27.5	-	-	-	+3.0	-	-	⊕	-4.0	-16.0	-35.5
2270	1850	1490	1200	-	-0.2	⊕	4.5	28.5	-	-	+2.0	-	-	⊕	-4.0	-	-25.0	-
1930	1550	1220	965	770	-0.4	⊕	3.5	27.0	-	-	-	+4.0	-	-	⊕	-4.5	-18.5	-41.0
1930	1480	1130	855	645	-0.2	⊕	4.5	29.0	-	-	+2.5	-	-	⊕	-4.0	-	-28.5	-



'Sabretip': A thick-jacketed bullet with a tough, durable nylon tip that will not deform on feeding. Unique construction ensures smooth chambering, excellent expansion and fine accuracy. One of the best bullets for big game hunting in North America.



'Kling-Kor' Soft Point: Unseen notches securely grip bullet core; act as barbs to arrest any tendency to strip or disintegrate on impact with target. Thin tongues of lead extruded through notches provide locking action at exact moment it is most needed.



Pointed Soft Point: High velocity and flattened trajectory reduce sighting problem. Accurate with excellent mushrooming qualities.



Soft Point: Jacketed in metal with a round or flat lead nose, the Soft Point is a dependable favourite for the lower velocity calibres.



Copper Point Expanding: Special nose construction provides excellent penetrating and mushrooming qualities. Sustained high velocity reduces problem of range estimation and sight adjustment. A favourite in open country.




Pneumatic: Enclosed air pocket and specially designed jacket promote rapid mushrooming and shocking power.




Hollow Point: Rapid mushrooming and high shocking power combined with excellent accuracy and flat trajectory make this an attractive varmint bullet.



Metal Cased (Hard Point): For maximum penetration without mushrooming to avoid spoiling the pelts of valuable fur-bearing animals.




7 MM REMINGTON MAGNUM




30-30 WINCHESTER




30 REMINGTON




30-40 Krag



30-06 SPRINGFIELD




300 WINCHESTER MAGNUM



300 HOLLAND & HOLLAND MAGNUM



300 SAVAGE




303 SAVAGE




303 BRITISH



308 WINCHESTER



8 MM MAUSER



32-20 WINCHESTER

'Dominion' centre fire cartridges continued

BALLISTICS AND RANGE TABLES

BALLISTICS

Description	Bullet		Velocity in Feet per Second							Energy in Foot Pounds				
	Wt. Grains	Type	Muzzle	100 Yds.	200 Yds.	300 Yds.	400 Yds.	500 Yds.	Muzzle	100 Yds.	200 Yds.	300 Yds.	400 Yds.	500 Yds.
7 MM REMINGTON MAGNUM For rifles designated 7 mm Remington Magnum, 7 mm Rem. Magnum, and 7 mm Rem. Mag. Note:—Not interchangeable with other 7 mm cartridges.	175	SP	3070	2720	2400	2120	1870	1640	3660	2870	2240	1750	1360	1040
30-30 WINCHESTER For rifles designated 30-30 Winchester, 30 W.C.F. or 30-30.	150 170 170 150	PNEU KKSP ST MC	2410 2220 2220 2410	2020 1890 1890 2020	1700 1630 1630 1700	1430 1410 1410 1430	— — — —	— 1860 1860 1930	1360 1350 1350 1360	960 1000 1000 960	680 750 750 680	— — — —	— — — —	— — — —
30 REMINGTON For rifles designated 30 Remington.	170	KKSP	2120	1820	1560	1350	—	—	1700	1250	920	690	—	—
30-40 Krag For rifles designated 30-40 Krag, 30 Army, 30 U.S.A. or 30-40.	180	KKSP	2470	2120	1830	1590	1400	—	2440	1790	1340	1010	785	—
30-06 SPRINGFIELD For sporting and military rifles designated 30-06 Springfield, 30 Springfield, Springfield Model 1903, Enfield Model 1917, U.S. 30-06, Springfield 30 Cal. 1906, or 30 Gov't '06.	130 150 150 180 180 220	HP PSP ST KKSP CPE ST KKSP	3150 2970 2970 2700 2700 2700 2410	2730 2670 2670 2330 2480 2470 2120	2470 2400 2400 2010 2080 2040 1870	2170 2130 2130 1740 1900 1850 1670	1920 1890 1890 1520 1730 1670 1480	1690 1670 1670 2910 2910 2910 2830	2870 2930 2930 2910 2910 2910 2830	2160 2370 2370 2170 2460 2440 2190	1770 1920 1920 1610 2080 2020 1710	1360 1510 1510 1210 1730 1660 1360	1060 1190 1190 920 1440 1370 1070	820 930 930 — 1190 1110 —
300 WINCHESTER MAGNUM For rifles designated 300 Winchester Magnum	180	ST	3070	2850	2640	2440	2250	2060	3770	3250	2790	2380	2020	1700
300 HOLLAND & HOLLAND MAGNUM For rifles designated 300 H & H Magnum and 300 H & H Mag.	180	PSP	2920	2670	2440	2220	2020	1830	3400	2850	2380	1970	1630	1340
300 SAVAGE For rifles designated 300 Savage.	150 150 180 180	PSP ST KKSP ST	2670 2670 2370 2370	2390 2390 2040 2160	2130 2130 1760 1960	1890 1890 1520 1770	1660 1660 1340 1600	— 2370 2240 2240	1510 1510 1240 1530	1190 1190 915 1250	915 915 715 1020	— — — —	— — — —	— — — —
303 SAVAGE For rifles designated 303 Savage. Note:—Not interchangeable with 303 British.	190	KKSP	1980	1680	1440	1250	—	—	1650	1190	875	660	—	—
303 BRITISH For sporting and military rifles designated 303 British, 303 Ross, No. 1 Mark III (S.M.L.E.), No. 3 Mark I (Enfield Pattern '14), No. 4 Mark I, and No. 5 Mark I. Note:—Not interchangeable with 303 Savage.	150 150 180 180 215	PSP ST KKSP CPE ST KKSP	2720 2720 2540 2540 2540 2180	2420 2420 2180 2330 2300 1900	2150 2150 1860 2130 2090 1660	1900 1900 1590 1940 1900 1460	1670 1670 1360 1760 1730 1250	1470 1470 2580 1600 2580 —	2460 2460 2580 2580 2580 2270	1950 1950 1900 2170 2120 1720	1540 1540 1380 1810 1750 1310	1200 1200 1010 1500 1440 1020	930 930 740 1240 1200 750	720 720 — 1020 1000 —
308 WINCHESTER For rifles designated 308 Winchester or 7.62 mm NATO.	130 150 180 180 200	HP PSP ST KKSP ST KKSP	2930 2860 2860 2610 2610 2450	2590 2570 2570 2240 2390 2210	2290 2300 2300 1920 2170 1980	2010 2050 2050 1640 1970 1770	1770 1810 1810 1400 1780 1580	1560 1590 1590 2720 1600 1410	2480 2730 2730 2720 2720 2670	1940 2200 2200 2010 2280 2170	1520 1760 1760 1470 1870 1750	1170 1400 1400 1070 1540 1400	905 1090 1090 785 1260 875	700 840 840 — 1010 875
8 MM MAUSER For rifles of the German Model 1898 pattern. This calibre is also designated 8 x 57 Mauser, 7.9 mm Mauser and 7.92 mm Mauser. Note:—(1) Not interchangeable with 8 mm Mannlicher-Schoenauer. (2) Not recommended for use in arms of the Model 1888 Mauser pattern.	170	PSP	2570	2300	2040	1810	1600	—	2490	2000	1570	1240	965	—
32-20 WINCHESTER For rifles designated 32-20 Winchester, 32 W.C.F. or 32-20. Note:—(1) Not for use in revolvers. (2) Not interchangeable with 32 Winchester Special.	115	SP	1480	1220	1050	940	—	—	560	380	280	225	—	—

Color indicates weight of bullet illustrated

KKSP—'Kling-Kor' Soft Point
PSP—Pointed Soft Point
SP—Soft Point
CPE—Copper Point Expanding
MC—Metal Cased (Hard Po)
PNEU—Pneumatic
HP—Hollow Point
ST—'Sabretip'

RANGE TABLE—VALUES SHOWN IN THIS TABLE ARE BASED ON A SIGHT HEIGHT 1½" ABOVE LINE OR BORE

Comparative Performance. Figures below are for a sight-setting of 100 yards and permit a comparison of trajectories up to 200 yards.			RECOMMENDED SIGHTING: ⊕ Indicates the most favourable sighting range in order to minimize the sighting problem at shorter and longer ranges. + Indicates inches high; — Indicates inches low.											
Inches High 50 Yds.	Sighted in at 100 Yds.	Inches Low 200 Yds.	First Crosses Line of Sight App.Yds.	50 Yds.	75 Yds.	100 Yds.	125 Yds.	150 Yds.	200 Yds.	250 Yds.	300 Yds.	400 Yds.	500 Yds.	
0.2	⊕	3.5	25.0	-	-	-	+3.5	-	-	⊕	-4.0	-18.0	-43.0	
0.2	⊕	7.0	27.0	-	+1.5	-	-	⊕	-4.0	-	-	-	-	
0.2	⊕	8.0	23.0	-	+1.5	-	-	⊕	-4.5	-	-	-	-	
0.2	⊕	8.0	23.0	-	+1.5	-	-	⊕	-4.5	-	-	-	-	
0.2	⊕	8.0	23.0	-	+1.5	-	-	⊕	-4.5	-	-	-	-	
0.2	⊕	7.0	27.0	-	+1.5	-	-	⊕	-4.0	-	-	-	-	
0.4	⊕	9.0	20.0	-	+2.0	-	-	⊕	-5.0	-	-	-	-	
0.0	⊕	6.0	21.0	-	-	+3.0	-	-	⊕	-5.5	-	-41.0	-	
-0.3	⊕	3.0	27.0	-	-	-	+3.0	-	-	⊕	-4.0	-19.5	-47.0	
-0.2	⊕	3.5	25.0	-	-	-	+3.5	-	-	⊕	-4.0	-17.5	-41.0	
-0.2	⊕	3.5	25.0	-	-	-	+3.5	-	-	⊕	-4.0	-17.5	-41.0	
0.0	⊕	5.0	24.0	-	-	+2.5	-	-	⊕	-4.0	-	-32.5	-	
0.0	⊕	4.5	21.0	-	-	-	+4.0	-	-	⊕	-4.5	-20.5	-46.0	
0.1	⊕	4.5	20.0	-	-	-	+4.0	-	-	⊕	-4.5	-21.0	-48.0	
0.1	⊕	6.0	21.0	-	-	+3.0	-	-	⊕	-5.5	-	-41.0	-	
0.3	⊕	3.0	27.5	-	-	-	+3.0	-	-	⊕	-3.5	-14.5	-32.5	
-0.1	⊕	3.0	25.0	-	-	-	+3.5	-	-	⊕	-4.0	-17.5	-39.0	
0.0	⊕	4.5	26.0	-	-	+2.5	-	-	⊕	-3.5	-	-29.0	-	
0.0	⊕	4.5	26.0	-	-	+2.5	-	-	⊕	-3.5	-	-29.0	-	
0.2	⊕	7.0	20.0	-	-	+3.5	-	-	⊕	-5.5	-	-43.0	-	
0.0	⊕	6.0	21.5	-	-	+3.0	-	-	⊕	-5.5	-	-35.0	-	
0.7	⊕	10.5	17.5	-	-	+3.0	-	-	⊕	-5.5	-	-	-	
-0.2	⊕	4.5	22.0	-	-	-	+4.5	-	-	⊕	-5.0	-23.0	-53.0	
-0.2	⊕	4.5	22.0	-	-	-	+4.5	-	-	⊕	-5.0	-23.0	-53.0	
0.0	⊕	6.0	23.0	-	-	+3.0	-	-	⊕	-5.0	-	-41.0	-	
0.0	⊕	5.0	19.0	-	-	-	+4.5	-	-	⊕	-5.0	-23.0	-52.0	
0.5	⊕	5.1	17.5	-	-	-	+5.0	-	-	⊕	-5.5	-26.5	-71.0	
0.3	⊕	9.0	16.0	-	-	+4.5	-	-	⊕	-7.0	-	-54.0	-	
-0.1	⊕	4.0	23.5	-	-	-	+3.5	-	-	⊕	-4.5	-23.5	-59.0	
-0.1	⊕	4.0	25.0	-	-	-	+3.5	-	-	⊕	-4.5	-20.0	-47.0	
-0.1	⊕	4.0	25.0	-	-	-	+3.5	-	-	⊕	-4.5	-20.0	-47.0	
0.0	⊕	5.5	23.0	-	-	+3.0	-	-	⊕	-5.5	-	-38.0	-	
-0.4	⊕	4.5	22.0	-	-	-	+4.5	-	-	⊕	-5.0	-21.5	-51.0	
0	⊕	6.0	22.0	-	-	+3.0	-	-	⊕	-5.0	-12.0	-35.0	-73.0	
0.0	⊕	5.5	22.5	-	-	+3.5	-	-	⊕	-5.5	-	-33.5	-	
2.0	⊕	22.0	16.5	+2.0	-	⊕	-3.5	-	-	-	-	-	-	

'Dominion' centre fire cartridges continued

BALLISTICS AND RANGE TABLES

BALLISTICS

Description	Bullet		Velocity in Feet per Second							Muzzle
	Wt. Grains	Type	Muzzle	100 Yds.	200 Yds.	300 Yds.	400 Yds.	500 Yds.		
32 WINCHESTER SPECIAL For rifles designated 32 Winchester Special, 32 W.S., 32 Winchester or 32 Special. Note:—Not interchangeable with 32-20 Winchester.	170	KKSP	2280	1920	1630	1410	—	—	1960	
	170	ST	2280	1920	1630	1410	—	—	1960	
32 REMINGTON For rifles designated 32 Remington.	170	KKSP	2120	1800	1540	1340	—	—	1700	
32-40 WINCHESTER For all rifles designated 32-40.	170	KKSP	1540	1340	1170	1050	—	—	895	
35 REMINGTON For rifles designated 35 Remington, 35 Remington Automatic or 35 Browning Automatic.	200	SP	2100	1710	1390	1160	—	—	1950	
351 WINCHESTER SELF-LOADING For Winchester Model '07 Self-Loading rifles.	180	SP	1850	1560	1310	1140	—	—	1370	
358 (8.8 MM) WINCHESTER For rifles designated 358 Winchester.	200	KKSP	2530	2210	1910	1640	1400	—	2840	
38-40 WINCHESTER For rifles designated 38-40 Winchester, 38-W., or 38 W.C.F. Note:—Not for use in revolvers.	180	SP	1330	1070	960	850	—	—	705	
38-55 WINCHESTER For all rifles designated 38-55. Note:—Not interchangeable with 38-56 W.C.F.	255	SP	1600	1410	1240	1110	—	—	1450	
43 (11 MM) MAUSER For rifles designated 43 Mauser or 11 mm Mauser. Note:—Not for use in rifles designated 11 mm Spanish, 43 Spanish or 43 Egyptian.	385	LEAD	1360	1150	1030	940	—	—	910	
44-40 WINCHESTER For rifles designated 44-40 Winchester, 44 W.C.F. or 44 W. Note:—Not for use in revolvers.	200	SP	1310	1050	940	830	—	—	760	
44 REMINGTON MAGNUM For rifles designated 44 Remington Magnum. Also suitable for revolvers chambered for this calibre. Note:—Do not use in 410 GA shotguns.	240	SP	1850	1450	1150	980	—	—	1820	
KKSP—'Kling-Kor' Soft Point PSP—Pointed Soft Point SP—Soft Point CPE—Copper Point Expanding MC—Metal Cased (Hard Point) PNEU—Pneumatic HP—Hollow Point T—'Sabretip'										

KKSP—'Kling-Kor' Soft Point
PSP—Pointed Soft Point
SP—Soft Point
CPE—Copper Point Expanding
MC—Metal Cased (Hard Point)
PNEU—Pneumatic
HP—Hollow Point
ST—'Sabretip'

Miscellaneous items and special ammunition

C-I-L also manufactures blank cartridges, blank shotshells, shot cartridges, 'Super-Clean' primers and empty primed shotshells. Included are:

BLANK SHOTSHELLS

10 gauge with black powder
12 gauge with black powder
12 gauge with smokeless powder

BLANK CARTRIDGES

22 Short rim fire blank
32 Smith & Wesson centre fire blank
38 Smith & Wesson centre fire blank
38 Special centre fire blank
45 Colt centre fire blank

SHOT CARTRIDGES

22 Long Rifle 'Whiz-Bang' rim fire shot (No. 12 shot).
44-40 Winchester shot (No. 7½ shot)—For I.X.L. and other shotguns but may be used in rifles designated 44-40 Win., 44 W.C.F., or 44 W.
Note:—Not for use in revolvers.

COMPONENTS

C-I-L makes available a complete line of quality, hand-loading components. For an illustrated retail price guide contact your nearest C-I-L component dealer or write Canadian Industries Limited, Ammunition and Firearms, P.O. Box 10, Montreal, Que.

'Dominion Marksmen' program

Shooting is one of the most highly organized sports in Canada with regulating bodies at national, provincial and often municipal levels. At the same time, 'Dominion Marksmen' operates a nation-wide program of competitions without charge. Boy Scouts, civic and service clubs, veterans' organizations, police and fire departments, churches, community recreation departments, gun clubs, conservation groups and agencies—these and many other notable organizations sponsor shooting programs. Nearly all of them are affiliated with 'Dominion Marksmen'.

Write to 'Dominion Marksmen', P.O. Box 10, Montreal, for information on its competitions, booklets, free films, and answers to questions on the shooting sports.

Official competition targets, for use at all recognized ranges with pistols and small bore rifles, are available from the Shooting Federation of Canada, P.O. Box 635, Station B, Montreal. Write to the Shooting Federation of Canada for information and prices.

C-I-L supplies three targets for sighting-in rifles and informal shooting.

C-I-L 100 yard Sighting-In Target
C-I-L 25 yard Practice Target
C-I-L Good Luck Target

Dealers may purchase these targets through their distributors or directly from Dominion Marksmen, P.O. Box 10, Montreal.

The 'Dominion Marksman' program is available to residents of Canada only.

Now C-I-L 22's come in a unique new slide-out plastic tray.



Heads up.

Think of the advantages. No fumbling or spilling. Simply slide out the tray and load up.

Cartridges are clean and easy to grasp. Bullet lubricant stays on the bullets, can't rub off on their brass cases.

Or on your trigger finger.

Shooting in competition? The "heads up" pack makes it especially easy to keep track of your shots. Ten rows, five shells to a row. You can't possibly lose count.

C-I-L's new plastic tray also protects lead

points from scuffing and scratching.

And there's no need to buy special loading and carrying blocks. You get one with every box. Free.

Use 'Imperial' high velocity 22's for pests and small game. 'Canuck' standard velocity for target work. And 'Match' and 'Pistol Match' for tournament shooting.

Try the new "heads up" tray pack. Only from C-I-L.

The picking is easy.



AMMUNITION & FIREARMS
CANADIAN INDUSTRIES LIMITED